

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An airbag device comprising:
an inflator for generating gas;
an airbag being expandable by gas generated in the inflator;
an airbag cover formed in a bowl shape, having a central concave part at a center of the
airbag cover which indents a bottom portion of the bowl shape toward an interior of the bowl
shape, and a plurality of cover pieces, for covering the airbag; and
a base plate for fixing the airbag and the airbag cover thereto,
wherein the airbag cover is openable outward at the time of expansion of the airbag
caused by gas from the inflator, wherein the airbag cover has tear lines formed between the a
plurality of opencover pieces for forming openings by tear lines and so forth which facilitate the
opening of the airbag cover at the time of expansion of the airbag, and wherein the opencover
pieces each have an attachment piece ~~are~~respectively fixed to a plurality of plastic deformable
attachment parts ~~which are~~ provided on the base plate and the coveropen pieces are completely
separated and opened outward owing to the expansion of the airbag.
2. (original): An airbag device according to claim 1, wherein the airbag cover has a
fixed part fixed directly or indirectly to the base plate substantially at a central portion thereof.
3. (currently amended): An airbag device according to claim 4~~2~~, wherein the airbag
cover has tear lines at the inner face thereof for opening each of the open pieces outward while
leaving the fixed part, and the tear lines comprise a tear line having substantially a circular shape

for partitioning the fixed part and each of the open pieces, and a plurality of tear lines extending outward from the tear line having the circular shape in the radial direction thereof.

4. (currently amended): An airbag device according to Claim ~~1~~2, wherein the fixed part of the airbag cover is provided with a decorative member ~~and so forth~~.

5. (previously presented): An airbag device according to Claim 1, wherein attachment parts are disposed along the peripheral edge of the base plate.

6. (currently amended): An airbag device comprising:
an inflator for generating gas;
an airbag being expandable by gas generated in the inflator;
an airbag cover for folding the airbag to house the folded airbag therein and openable at the time of expansion of the airbag;
a base plate having an opening at a central portion in which the inflator is fitted;
a connection member; and
a cushion plate for clamping and holding the airbag between itself and the base plate,
wherein the cushion plate has concave parts on its front face for housing a clamping and holding part of ~~the~~ connection member, and a central portion of the airbag cover being opened by tear lines, ~~and so forth~~ at the time of expansion of the airbag is connected to the connection member which is clamped and held by the base plate and the cushion plate together with the airbag, and the connection member holds the central portion of the airbag cover at the time of

spread of the airbag bag when the airbag is expanded forward by gas from the inflator while getting across the central portion of the airbag cover.

7. (original): An airbag device according to Claim 6, wherein the connection member has holes or recesses, and the concave parts of the cushion plate have protrusions capable of engaging with the holes or the recesses.

8. (original): An airbag device according to Claim 6, wherein the connection member is fastened and fixed to the concave parts of the cushion plate together by a bolt for fixing the inflator.

9. (previously presented): An airbag device according to Claim 6, wherein the connection part is made of a metal member.

10. (currently amended): An airbag device comprising:
an inflator for generating gas;
an airbag being expandable by gas generated in the inflator;
an airbag cover for covering the airbag; and
a base plate for fixing the airbag and the airbag cover,
wherein the airbag cover is openable outward at the time of expansion of the airbag caused by gas from the inflator, wherein the airbag cover has a fixed part fixed directly or

indirectly to the base plate substantially at a central portion thereof, and a plurality of ~~open~~cover pieces formed around the fixed part, and

~~wherein the~~ the airbag has a cylindrical part which is restrained from being come out by the fixed part at the time of expansion of the airbag so as to be expandable forward across the fixed part, and

~~wherein the~~ the fixed part of the airbag cover has a concave part for guiding the airbag when it spreads~~at the time of spread of the airbag,~~

wherein the cylindrical part has a tip side opening part having an opening diameter that is smaller than a maximum outer diameter of the concave part of the airbag cover, thereby causing the tip side opening part of the cylindrical part to be held by the concave part of the airbag cover so as not to come out when the airbag spreads.

11. (currently amended): An airbag device according to Claim 10, wherein a group of tear lines for partitioning ~~a plurality of open the cover~~ pieces formed at and around the fixed part are provided on the ~~an~~ inner face of the airbag cover, and the ~~open~~cover pieces are openable outward by the tear lines ~~when at the time of spread of the airbag spreads.~~

12. (original): An airbag device according to Claim 11, wherein the tear lines are formed as grooves provided on the inner face of the airbag cover, and the tear line formed around the fixed part has parts which are cut beforehand.

13. (currently amended): An airbag device according to Claim 10, wherein ~~a plurality of~~
~~open~~the cover pieces of the airbag cover are openable outward around the fixed part, and
separated from one another after the spread of the airbag.

14. (currently amended): An airbag device according to Claim 10, wherein ~~in that a~~
decorative member or a horn apparatus~~equipment~~ is housed in the concave part.

15. (currently amended): An airbag device according to Claim ~~14~~12, wherein ~~the~~
decorative member is housed in the concave part and covers the cut parts of the tear lines formed
around the concave parts of the airbag cover so as not to be visible from outside.

16. (currently amended): An airbag device comprising:
an inflator for generating gas;
an airbag being expandable by gas generated in the inflator;
an airbag cover for covering the airbag; and
a fixed plate for fixing the airbag cover,
wherein the airbag has an opening hole part formed ~~on a part thereof~~ by aligning at least
two pieces of base cloths with each other, each piece of base cloth having ~~at least~~ hole parts
displaced in position from each other, while and wherein the airbag cover has a concave part
fixed directly or indirectly to the base plate substantially at a central portion thereof, and the
concave part guides ~~respective~~the hole parts of the opening hole part, when~~causing~~ the airbag to

beis expanded by the gas generated by the inflator, so as to cause the hole parts to change in positional relation with respect to each other.

17. (currently amended): An airbag device according to Claim 16, wherein the concave part is separated by the tear lines formed around or inside the concave part at the time of ~~spread~~expansion of the airbag.

18. (original): An airbag device according to Claim 16, wherein the concave part is connected to the airbag cover by at least one linking part which is separable with ease.

Claims 19-20. (canceled).

21. (currently amended): An airbag device according to Claim 16, wherein a decorative member or a horn ~~equipment~~apparatus is housed in the concave part.